



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/694,248	10/27/2003	William J. Dwyer		2679

7590 01/25/2005

WILLIAM J. DWYER  
10 WOODLAND STREET  
WHITINSVILLE, MA 01588

EXAMINER

OKEZIE, ESTHER O

ART UNIT PAPER NUMBER

3654

DATE MAILED: 01/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/694,248

Applicant(s)

DWYER, WILLIAM J.

Examiner

Esther O. Okezie

Art Unit

3654

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-3 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

Art Unit: 3654

### DETAILED ACTION

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-3 are rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

Regarding claim 1 the use of terms in parenthesis is unclear and inconsistent with conventional claim language.

Regarding claim 2 the phrase "specially designed retaining fluid" is vague and confusing.

The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only. Note the format of the claims in the patent(s) cited.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this

Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 1-3 are rejected under 35 U.S.C. 102(b) as best understood as being anticipated by Crow.
2. Regarding claim 1 Crow discloses a lifting hook device capable of lifting grill grates from barbecue units, the device comprising a handle constructed of wood (A) and two metal hooks or rods (H and E). The left hook (H) is pivotably adjustable and is therefore able to properly engage the metal racks on a grill. In addition the adjustability of the hooks allows for one inch (more or less) of spacing apart of the hooks. Furthermore, the points where the hooks meet the handle (points G and D respectively) are held firmly in place by nuts (G and D). Lastly the handle is designed with rounded ends (B) of sufficient size in order to be comfortable for the user and not too cumbersome in use.
3. Regarding claim 2 Crow discloses a lifting hook device capable of lifting top grill grates and allowing for the safe and easy removal and replacement of the grates. The handles are designed with rounded handles for greater function and durability. In addition, the wood handle is designed with slots that match and receive the metal hooks and the hooks are bonded by nuts (D).

Art Unit: 3654

4. Regarding claim 3 Crow discloses a lifting hook device capable of engaging the middle of a grill grate with the purpose of removing and then replacing said grate easily and safely.

**Conclusion**

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US-6068314, Dorazio et al; US 6000739, Zemit et al; US-5729854; US-1563000, Walter et al;

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Esther O. Okezie whose telephone number is (703) 305-0433. The examiner can normally be reached on Mon-Fri 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Katherine A Matecki can be reached on (703) 308-2688. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

KATHY MATECKI  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3600

*Kathy Matecki*

KATHY MATECKI  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3600

Art Unit: 3654

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

eoo